



# DYNASTY<sup>®</sup> COOL COLORS PLUS

Performance Shingles | with *ArmourZone*<sup>®</sup>



[iko.com/na](http://iko.com/na)



# IKO Dynasty Cool Colors Plus Performance Shingles

IKO Dynasty® Cool Colors Plus shingles elevate your home's curb appeal while helping to meet California's Title 24, Part 6 requirements. Depending on your location, HVAC system, utility rates, and other factors, Dynasty Cool Colors Plus shingles may even help reduce your energy costs.



**IKO Dynasty Cool Colors Plus shingles** offer an SRI of 20 or greater<sup>2</sup>, helping meet California's roof reflectance requirements.



*Color Featured: Weatherwood*



Color Featured: WeatherWise




*Dynasty Cool Colors Plus*  
shingles are part of the IKO  
Dynasty line, engineered for  
premium performance with  
advanced protection, bold  
color blends, and lasting curb  
appeal that homeowners can

## The IKO Difference

**With a legacy of craftsmanship that spans over 75 years,** we know quality. That's why contractors and their customers trust IKO to deliver beautiful, high-performing roofing systems that can withstand the most rigorous conditions — and continue protecting families for generations to come.



# What sets Dynasty Cool Colors Plus Shingles Apart




SRI  
20+

- 1 Superior blow-off prevention**  
 IKO Dynasty Cool Colors Plus feature a tear-resistant woven band on the back, designed to help prevent nail pull-through and shingle blow-off. A 1 ¼-inch-wide nailing surface on the front guides roofers to place their nails accurately, ensuring improved fastening strength and faster installation.
- 2 Stay-put bonding**  
 Our shingles feature IKO FastLock® sealant strips along their bottom edges, which get extra tacky when activated by the heat of the sun for maximum bonding and performance against wind uplift and water penetration.
- 3 Fiberglass mat core strength**  
 We make our own fiberglass mat, which is coated top and bottom with weathering asphalt, then surfaced with colored granules for exceptional durability and structural integrity.
- 4 Cool roof compliant**  
 Dynasty Cool Colors Plus shingles are specially engineered and can be used to comply with California's Title 24, Part 6 cool roof requirements, achieving an SRI of 20 or greater<sup>2</sup> from embedded infrared-reflective pigments.

## STANDARDS & SPECIFICATIONS<sup>5,6</sup>

Limited Warranty <sup>3</sup>	Limited Lifetime <sup>4</sup>	Length	40 7/8 in (1,038 mm)
Iron Clad Protection <sup>3</sup>	15 Years (U.S. ONLY)	Width	13 3/4 in (349 mm)
Limited Wind Warranty <sup>3</sup>	130 mph	Exposure	5 7/8 in (149 mm)
Limited Algae Resistance Warranty <sup>3</sup>	10 years (blue-green)	Coverage per Bundle	33 1/3 sq. ft (3.1 sq. m)

ASTM D3462 • ASTM D3018 • ASTM D3161 - Class F • ASTM D7158 - Class H • ASTM E108/UL 790 - Class A  
 • FM 4473 - Class 3<sup>7</sup> • UL 2218 - Class 3<sup>7</sup> • CRRC-1 SRI 20+



Dynasty Cool Colors Plus shingles are designed to comply with California's solar reflectance<sup>1</sup> requirements — while safeguarding your home — with features like:

ArmourZone<sup>®</sup> 1¼-inch reinforced woven band nailing surface for unparalleled holding power.

Heavy-duty construction from a fiberglass mat core.

Class 3 impact resistance rating<sup>7</sup>.

A solar reflectance index (SRI) of 20 or greater<sup>2</sup> thanks to embedded infrared-reflective pigments.

A wide array of color blends to match your home's style.

TrueSquare Advantage shingle sizing with 5 7/8-inch exposure.


Resistance against blue-green algae streaks and discoloration.

Available in select US markets.


The impact resistance ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available.

*Color Featured: Weatherwood*

# ENHANCED COLOR BLENDS | *Inspired by Nature*




**Harbor Black**  
CRRC Product ID 1214-0022



**Dual Brown**  
CRRC Product ID 1214-0011



**Coastal Sands**  
CRRC Product ID 1214-0020




**Pebble Grey**  
CRRC Product ID 1214-0021

**HARBOR BLACK:** Bold, timeless, refined  
**Perfect Pairings:** White, beige, or taupe siding; stone or brick in neutral or warm tones; black or crisp white trim

**COASTAL SANDS:** Warm, inviting, relaxed  
**Perfect Pairings:** Cream, beige, or light yellow siding; stone or brick in sandy or tan tones; white or brown trim

**DUAL BROWN:** Classic, earthy, enduring  
**Perfect Pairings:** Beige, tan, or olive siding; stone or brick in warm, rustic tones; brown or cream trim

**PEBBLE GREY:** Subtle, soft, contemporary  
**Perfect Pairings:** White, blue, or light grey siding; stone or brick in cool tones; charcoal or navy trim




**Graphite Black**  
CRRC Product ID 1214-0010



**Bayshore**  
CRRC Product ID 1214-0019



**Weatherwood**  
CRRC Product ID 1214-0013



*Color Featured: Weatherwood*

**GRAPHITE BLACK:** Sleek, modern, dramatic  
**Perfect Pairings:** White, grey, or deep blue siding; stone or brick in cool tones; black or silver trim

**WEATHERWOOD:** Natural, versatile, timeless  
**Perfect Pairings:** Beige, taupe, or green siding; stone or brick in neutral, earthy tones; brown or white trim

**BAYSHORE:** Fresh, coastal, relaxed  
**Perfect Pairings:** White, soft blue, or grey siding; stone or brick in light, natural tones; white or blue trim



Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



PROFORMAX ROOFING COMPONENTS

DECK PROTECTION	SYNTHETIC UNDERLAYMENT	ROOF STARTERS	CAPPING SHINGLES
IKO GoldSeam® IKO StormShield®	IKO Stormtite®	IKO Leading Edge Plus™ or IKO EdgeSeal®	IKO Ultra-HP® IR IKO Hip & Ridge 12™

**IMPORTANT!** To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle color and do not fully represent the entire color blend range nor the impact of sunlight.

**NOTE:** Product and color availability may vary by region. Products with Miami Dade NOA and FBC product approval listings are available. Meets Texas Department of Insurance requirements. Contact IKO for details. <sup>1</sup>Solar reflectance is the roof's ability to reflect solar energy. SRI values range from 0 to 100 — and the higher the SRI, the better the roofing material's ability to reduce heat transfer into the home. Solar Reflectance Index (SRI) is calculated by ASTM E1980. <sup>2</sup>Shingles with an SRI of 16+ can be used to comply with California Title 24, Part 6 and shingles with an SRI of 20+ can be used to comply with LA County and City requirements, in lieu of meeting the aged solar reflectance and thermal emittance requirements. To determine if the LA City and County requirements apply, visit the LA County website. <sup>3</sup>Refer to the Limited Warranty at IKO.com for full terms, conditions, restrictions and application requirements. Shingles must be installed per application instructions and local building codes. "Lifetime" refers to the period from installation until the original Owner no longer owns the building. <sup>4</sup>All values are approximate. <sup>5</sup>Products are developed with reference to these standards. <sup>6</sup>Impact rating is solely for potential insurance premium reductions and is not a performance guarantee, implied or express warranty of any kind. Hail damage is not covered under the Limited Warranty. IKO recommends Class 4 or 3 impact resistance rated Hip and Ridge capping shingles be installed with corresponding impact rated shingles (refer to FM Approvals for more details on the FM 4473 test standard and to UL Solutions for more details on the UL 2218 test standard).



The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. Find out more about our products now by talking to an IKO sales representative or contact us directly:

**In the United States, call 1-888-IKO-ROOF (1-888-456-7663).**